An ISO 9001: 2015 & GMP Certified Company Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name: Beryllium oxide, 99.95%

Product Code : B 1706 CAS No : 1304-56-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification OTTO CHEMIE PVT LTD

No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number

Phone no.: + 91 98200 41841 (10:00 am - 06:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 3)
Acute toxicity, (Category 2)
Acute toxicity, (Category 2)
By irritation, (Category 2)
By irritation, (Category 2)
By irritation, (Category 1)
Carcinogenicity, (Category 1B)
By Category 10
By Category 20
By Category 30
By

Respiratory system

Specific target organ toxicity - H372: Causes damage to organs through

prolonged or repeated exposure if inhaled.

repeated exposure, (Category 1),

Lungs

2.2 Label elements

Hazard Statements

Labelling according Regulation (EC) No 1272/2008

Pictogram
Signal Word
Danger

H301 Toxic if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H350i May cause cancer by inhalation.

H372 Causes damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

Precautionary Statements

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company
Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: + 91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

Supplemental Hazard

Statements

Restricted to professional users. Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger
Hazard Statements
H301 Toxic if swallowed.
H330 Fatal if inhaled.

H317 May cause an allergic skin reaction.
H350i May cause cancer by inhalation.

none

H372 Causes damage to organs through prolonged or repeated

exposure if inhaled.

Precautionary Statements

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

Supplemental Hazard non-

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : BeO
Molecular weight : 25,01 g/mol
CAS-No. : 1304-56-9
EC-No. : 215-133-1

Co	Component		Classification	Concentration
Ве	Beryllium monoxide			
	S-No -No	1304-56-9 215-133-1	Acute Tox. 3; Acute Tox. 2; Skin Irrit. 2; Eye Irrit.	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal

(20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Beryllium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic

hazardous materials 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection protective clothing Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
a) Physical state powder
b) Color white

c) Odor No data available

d) Melting point: 2.430 °C at 101,35 hPa

point/freezing point
e) Initial boiling point
3.900 °C

and boiling range

gas)

g) Upper/lower No data available

flammability or explosive limits

h) Flash point Not applicable
i) Autoignition No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company
Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

temperature

j) Decomposition

temperature

k) pH

I) Viscosity

m) Water solubility

n) Partition coefficient:

n-octanol/water

o) Vapor pressure

p) Density

Relative density

q) Relative vapor

density

r) Particle

characteristics

s) Explosive properties

t) Oxidizing properties

9.2 Other safety information

No data available

No data available

No data available

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

0,1 g/l at 23 °C - OECD Test Guideline 105- insoluble

Not applicable for inorganic substances

No data available

3,01 g/cm3 at 25 °C - lit.

No data available

No data available

No data available

No data available

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

12.6 Endocrine disrupting properties

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

Product:

Assessment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number ADR/RID: 1566

ADR/RID:

IMDG: 1566

IATA: 1566

14.2 UN proper shipping name

BERYLLIUM COMPOUND, N.O.S. (Beryllium monoxide) BERYLLIUM COMPOUND, N.O.S. (Beryllium monoxide)

IMDG: IATA: BERYLLIUM COMPOUND, N.O.S. (Beryllium monoxide) 14.3 Transport hazard class(es)

IMDG: 6.1

IATA: 6.1

ADR/RID: 6.1 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user Tunnel restriction code: (D/E)

Further information: No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Beryllium monoxide

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council

on the control of major-accident hazards

involving dangerous substances.

H2 ACUTE TOXIC

H2 ACUTE TOXIC

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.



An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

