Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers
Product Name Boron trifluoride etherate {48-50%BF3}
Product Code : B 1980
CAS No: 109-63-7

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number
Phone no. : + 91 98200 41841 (10 : 00 am – 06 : 00 pm)

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture

Flammable liquids, (Category 3)	H226: Flammable liquid and vapor.
Acute toxicity, (Category 4)	H302: Harmful if swallowed.
Acute toxicity, (Category 4)	H332: Harmful if inhaled.
Skin corrosion, (Sub-category 1B)	H314: Causes severe skin burns and eye damage
Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Specific target organ toxicity - repeated exposure, (Category 1), Kidney	H372: Causes damage to organs through prolonged or repeated exposure if inhaled.

2.2 Label elements
Labelling according Regulation (EC) No 1272/2008
Pictogram
Signal Word — Danger
Hazard Statements

H226	Flammable liquid and vapor.
H302 + H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs (Kidney) through prolonged or repeated exposure if inhaled.

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/ attention if you feel unwell.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Pictogram	
Signal Word	Danger
Hazard Statements	
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H314	Causes severe skin burns and eye damage.
Precautionary Statements	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/ attention if you feel unwell.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Strong hydrogen fluoride-releaser

Reacts violently with water.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Boron trifluoride ethyl etherate
Formula	: BF3 · C4H10O
Molecular weight	: 141,93 g/mol
CAS-No.	: 109-63-7

Component	Classification	Concentration
boron trifluoride-diethyl ether complex (1:1)		
CAS-No. 109-63-7 EC-No. 203-689-8	Flam. Liq. 3; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT RE 1; H226, H302, H332, H314, H318, H372	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact
First treatment with calcium gluconate paste.In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact
After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed
After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.
4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
4.3 Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5: Firefighting measures
5.1 Extinguishing media
Suitable extinguishing media
Carbon dioxide (CO2) Dry powder Cover with dry sand or cement.
Unsuitable extinguishing media
Foam Water
5.2 Special hazards arising from the substance or mixture
Carbon oxides
Hydrogen fluoride
Borane/boron oxides
Combustible.
Vapors are heavier than air and may spread along floors.
Forms explosive mixtures with air at elevated temperatures.
Development of hazardous combustion gases or vapours possible in the event of fire.
5.3 Advice for firefighters
Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
5.4 Further information
Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains. Risk of explosion.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage
7.1 Precautions for safe handling
Advice on safe handling
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition.Take precautionary measures against static discharge.
Hygiene measures
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Store under nitrogen.
Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.
Keep away from water.
Storage stabilityRecommended storage temperature
2 - 8 °C
Store under inert gas. Reacts violently with water.
Storage class
Storage class (TRGS 510): 3: Flammable liquids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Ingredients with workplace control parameters
8.2 Exposure controls
Personal protective equipment
Eye/face protection
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Skin protection
This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Full contact
Material: Nitrile rubber
Minimum layer thickness: 0,4 mm
Break through time: 480 min
This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Splash contact
Material: Viton®
Minimum layer thickness: 0,7 mm
Break through time: 120 min
Body Protection
Flame retardant antistatic protective clothing.
Respiratory protection
Recommended Filter type: Filter type B

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.
These measures have to be properly documented.
Control of environmental exposure
Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state	liquid
b) Color	slightly opalescent, yellow
c) Odor	No data available
d) Melting point/freezing point	Melting point/range: -58 °C
e) Initial boiling point and boiling range	126 - 129 °C
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 36 %(V) Lower explosion limit: 1,9 %(V)
h) Flash point	58,5 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 1,89 mPa.s at 20 °C
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	2,7 hPa at 20 °C
p) Density	1,15 g/mL
Relative density	1,125 at 25 °C
q) Relative vapor density	4,90 - (Air = 1.0)
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

9.2 Other safety information

Relative vapor density
4,90 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity
Vapor/air-mixtures are explosive at intense warming.
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature) .
10.3 Possibility of hazardous reactions
Risk of explosion with:
lithium aluminium hydride
Risk of ignition or formation of inflammable gases or vapours with:
Alkali metals
Water
Acids
Violent reactions possible with:
Oxidizing agents
Alcohols

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

alkalines
10.4 Conditions to avoid
Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas. Do not allow water to enter container because of violent reaction.
Heating.
10.5 Incompatible materials
No data available
10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:
Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg
Inhalation LC50 Rat: > 50mg/L.
Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.
Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).
Special Remarks on Toxicity
to Animals: Not available.
Special Remarks on Chronic Effects on Humans: Not available.
Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information
12.1 Toxicity
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)
semi-static test NOEC - Daphnia magna (Water flea) - > 6,4 - < 13,6 mg/l - 21 d
Remarks: (ECHA)
The value is given in analogy to the following substances: boric acid
12.2 Persistence and degradability
Biodegradability aerobic - Exposure time 28 d
Result: 2,5 % - Not readily biodegradable.
(OECD Test Guideline 301C)
Remarks: The value is given in analogy to the following substances:
Diethyl ether
12.3 Bioaccumulative potential
Bioaccumulation Cyprinus carpio (Carp) - 6 Weeks
at 25 °C - 500 mg/l(boron trifluoride-diethyl ether complex (1:1))
Bioconcentration factor (BCF): > 0,9 - < 1,4
(OECD Test Guideline 305C)
Remarks: The value is given in analogy to the following substances:
Diethyl ether
12.4 Mobility in soil
No data available
12.5 Results of PBT and vPvB assessment
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Endocrine disrupting properties
Product:

Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects
No data available

DISCLAIMER
Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2604 IMDG: 2604 IATA: 2604

14.2 UN proper shipping name

ADR/RID: BORON TRIFLUORIDE DIETHYL ETHERATE

IMDG: BORON TRIFLUORIDE DIETHYL ETHERATE

IATA: BORON TRIFLUORIDE DIETHYL ETHERATE

14.3 Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

O1 OTHER HAZARDS

P5c FLAMMABLE LIQUIDS

P5c FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product