Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : Butyl bromide, 98% Product Code : B 2365 CAS No: 109-65-9

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number Phone no. : + 91 98200 41841 (10 : 00 am - 06 : 00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Flammable liquids, (Category 2) Skin irritation, (Category 2) Carcinogenicity, (Category 2) Reproductive toxicity, (Category 2) B) damage the unborn child. Specific target organ toxicity single exposure, (Category 3), Respiratory system Specific target organ toxicity -

repeated exposure, (Category 2), Liver. Long-term (chronic) aguatic

hazard, (Category 2) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word Hazard Statements H225 H315 H335 H351 H360FD H373

H411 Precautionary Statements P202

P210

P233 P273 P303 + P361 + P353

P308 + P313

H225: Highly flammable liquid and vapor. H315: Causes skin irritation. H351: Suspected of causing cancer. H360FD: May damage fertility. May

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure if inhaled

H411: Toxic to aquatic life with long lasting effects.

Danger

Highly flammable liquid and vapor. Causes skin irritation. May cause respiratory irritation. Suspected of causing cancer. May damage fertility. May damage the unborn child. May cause damage to organs (Liver) through prolonged or repeated exposure if inhaled. Toxic to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Avoid release to the environment. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF exposed or concerned: Get medical advice/ attention.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Supplemental Hazard Statements none Reduced Labeling (<= 125 ml) Pictogram		
Signal Word Hazard Statements	Danger	
H351 H360FD Precautionary Statements P202	Suspected of causing cancer. May damage fertility. May damag Do not handle until all safety pred understood.	
P308 + P313 Supplemental Hazard	IF exposed or concerned: Get me	edical advice/ attention.
Statements 2.3 Other hazards This substance/mixture contains no bioaccumulative and toxic (PBT), or levels of 0.1% or higher. Ecological information: The substance/mixture does not cor disrupting properties according to RI (EU) 2017/2100 or Commission Reg Toxicological information:	none components considered to be either persistent, very persistent and very bioaccumulative (vPvB ntain components considered to have endocrine EACH Article 57(f) or Commission Delegated reg gulation (EU) 2018/605 at levels of 0.1% or higher	gulation er.
disrupting properties according to R	tain components considered to have endocrine EACH Article 57(f) or Commission Delegated re- julation (EU) 2018/605 at levels of 0.1% or high	gulation
SECTION 3: Composition/informa 3.1 Substances Formula Molecular weight CAS-No. EC-No.	tion on ingredients : C4H9Br : 137,03 g/mol : 109-65-9 : 203-691-9	
Component	Classification	Concentration
1-bromobutane		
CAS-No. 109-65-9 EC-No. 203-691-9	Flam. Liq. 2; Skin Irrit. 2; Carc. 2; Repr. 1B; STOT SE 3; STOT RE 2; Aquatic Chronic 2;	<= 100 %

H225, H315, H351, H360FD, H335, H373,

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures
General advice
Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Call in physician.
In case of skin contact
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact
After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
If swallowed
After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
4.2 Most important symptoms and effects, both acute and delayed

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen bromide gas Combustible. Fire may cause evolution of: hydrogen bromide Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Protected from light.Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eve protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 60 min Body Protection Flame retardant antistatic protective clothing. Respiratory protection Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state liauid b) Color colorless No data available c) Odor d) Melting Melting point/ range: -112 °C point/freezing point e) Initial boiling point 99 - 101 °C at 1.013 hPa and boiling range f) Flammability (solid, No data available gas) g) Upper/lower Upper explosion limit: 6,6 %(V) flammability or Lower explosion limit: 2,8 %(V) explosive limits h) Flash point 10 °C - closed cup i) Autoignition 265 °C temperature j) Decomposition No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel: + 91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure

p) Density Relative density q) Relative vapor density r) Particle *c*haracteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Surface tension 25,9 mN/m at 25 °C Relative vapor density 4,73 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity Vapors may form explosive mixture with air. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) 10.3 Possibility of hazardous reactions peroxi compounds Alkali metals Alkaline earth metals Powdered metals Strong oxidizing agents fats various plastics Exothermic reaction with: 10.4 Conditions to avoid Warming. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

DISCI AIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available 0,869 g/l at 25 °C - partly soluble log Pow: 2,75 - Bioaccumulation is not expected., (ECHA)

200 hPa at 50 °C 53 hPa at 25 °C 1.273 g/cm3 at 25 °C No data available No data available

No data available

No data available none

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 12: Ecological information

SECTION 12: Ecological infor	rmation		
12.1 Toxicity			
Toxicity to fish semi-static test l	_C50 - Oncorhynch	ius mykiss (rainbow	r trout) - 24,3
mg/l - 96 h (1-bromobutane)			
(OECD Test Guideline 203)			
Toxicity to daphnia			
and other aquatic			
invertebrates			
static test EC50 - Daphnia mag	na (Water flea) - 9	9,3 mg/l - 48 h (1-	
bromobutane)			
(OECD Test Guideline 202)			
Toxicity to algae ErC50 - Pseud	dokirchneriella sub	capitata (green alga	e) - 9,98 mg/l -
72 h (1-bromobutane)			
(OECD Test Guideline 201)			
Toxicity to bacteria static test E	C50 - activated slu	dge - 270 mg/l - 5 m	nin (1-
bromobutane)			
Remarks: (EĆHA)			
12.2 Persistence and degradab	oility		
Biodegradability aerobic - Expo	sure time 28 d (1-t	promobutane)	
Result: 19,2 % - Not readily bio		,	
(OECD Test Guideline 301D)			
12.3 Bioaccumulative potential		1	
No data available			
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB	assessment		
This substance/mixture contain	s no components o	considered to be eith	ner persistent,
bioaccumulative and toxic (PBT), or very persister	nt and very bioaccur	mulative (vPvB) at
levels of 0.1% or higher.			
12.6 Endocrine disrupting prope	erties	171-	
Product:		/ // ···	
Assessment :	2	The substance/mix	ture does not contain components
-	$\langle \rangle$	considered to have	e endocrine disrupting properties
		according to REAC	CH Article 57(f) or Commission
		Delegated regulation	on (EU) 2017/2100 or Commission
		Regulation (EU) 20	018/605 at levels of 0.1% or higher.
12.7 Other adverse effects			
Discharge into the environment	must be avoided.		
SECTION 13: Disposal consid	derations	12	
13.1 Waste treatment methods			
No data available			
SECTION 14: Transport inform	mation		
14.1 UN number			
ADR/RID: 1126	IMDG: 1	26	IATA: 1126
14.2 UN proper shipping name			
ADR/RID:	1-BROMOBUTAN	Ξ	
IMDG:	1-BROMOBUTANE		
IATA: 1	1-Bromobutane		
14.3 Transport hazard class(es)		
ADR/RID: 3	IMDG: 3		IATA: 3
14.4 Packaging group			
ADR/RID: II	IMDG: II		IATA: II
14.5 Environmental hazards			
ADR/RID: yes	IMDG Ma	arine pollutant: yes	IATA: no
14.6 Special precautions for us	er		
Tunnel restriction code : (D/E)			
Further information : No data a	vailable		

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. National legislation Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards P5c FLAMMABLE LIQUIDS involving dangerous substances. E2 ENVIRONMENTAL HAZARDS Other regulations Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.