

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Product identifiers

Product Name : Butyric anhydride, GR 99%+  
Product Code : B 2437  
CAS No: 106-31-0

1.2. Relevant identified uses of the substance or mixture and uses advised against  
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet  
Company identification  
OTTO CHEMIE PVT LTD  
No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number  
Phone no. : + 91 98200 41841 (10 : 00 am – 06 : 00 pm)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture  
Acute toxicity, (Category 4)  
Skin corrosion, (Sub-category

H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.

1B)  
Serious eye damage, (Category 1)

H318: Causes serious eye damage.

2.2 Label elements  
Labelling according Regulation (EC) No 1272/2008

Pictogram  
Signal Word  
Hazard Statements

Danger

H302  
H314  
Precautionary Statements  
P280

Harmful if swallowed.  
Causes severe skin burns and eye damage.

P301 + P312

Wear protective gloves/ protective clothing/ eye protection/ face protection.  
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363  
Supplemental Hazard information (EU)  
EUH014

Wash contaminated clothing before reuse.

Reduced Labeling (<= 125 ml)

Reacts violently with water.

Pictogram  
Signal Word  
Hazard Statements

Danger

H314  
Precautionary Statements  
P280

Causes severe skin burns and eye damage.

P303 + P361 + P353

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P304 + P340 + P310

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use  
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.  
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.  
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

P305 + P351 + P338

for breathing. Immediately call a POISON CENTER/ doctor.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Wash contaminated clothing before reuse.

P363

Supplemental Hazard information (EU)

Reacts violently with water.

EUH014

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Stench.

## SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Butanoic anhydride  
Formula : C8H14O3  
Molecular weight : 158,19 g/mol  
CAS-No. : 106-31-0  
EC-No. : 203-383-4

Component	Classification	Concentration
butyric acid anhydride		
CAS-No. 106-31-0 EC-No. 203-383-4	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H302, H314, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Dry powder

Unsuitable extinguishing media

Foam Water

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).

Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Never allow product to get in contact with water during storage.

Handle and store under inert gas. Over time, pressure may increase causing containers to burst. Handle and open container with care. Air sensitive.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 120 min

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Physical state	clear, liquid
b) Color	colorless
c) Odor	unpleasant
d) Melting point/freezing point	Melting point/range: -75 - -66 °C - lit.
e) Initial boiling point and boiling range	198 - 199 °C - lit.
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 7,6 %(V) Lower explosion limit: 1,1 %(V)
h) Flash point	87 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available

---

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

	Viscosity, dynamic: 1,44 mPa.s at 25 °C - OECD Test Guideline 114
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	0,4 hPa at 20 °C 13 hPa at 79,5 °C
p) Density	0,967 g/mL at 25 °C - lit.
Relative density	0,97 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3
q) Relative vapor density	5,46 - (Air = 1.0)
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
9.2 Other safety information	
Surface tension 29,1 mN/m at 22 °C	
- Surface tension	
Relative vapor density	
5,46 - (Air = 1.0)	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

sensitive to moisture

### 10.3 Possibility of hazardous reactions

can decompose violently in contact with:

Water

Violent reactions possible with:

alkalines

Strong oxidizing agents

strong reducing agents

Amines

Alcohols

Ammonia

acids

The generally known reaction partners of water.

Generates dangerous gases or fumes in contact with:

Metals

### 10.4 Conditions to avoid

Do not allow water to enter container. Air sensitive.

Strong heating.

Moisture.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company  
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,  
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)  
Tel : + 91 98200 41841 Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Special Remarks on other Toxic Effects on Humans: Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 77

mg/l - 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

valeric acid

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 51,25 mg/l - 48 h

(DIN 38412)

Remarks: The value is given in analogy to the following substances:

2-methylpropionic acid; isobutyric acid

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 45,1

mg/l - 72 h

(DIN 38412)

Remarks: The value is given in analogy to the following substances:

2-methylpropionic acid; isobutyric acid

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 100 % - Readily biodegradable.

Remarks: (ECHA)

The value is given in analogy to the following substances: butyric

acid

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2739

IMDG: 2739

IATA: 2739

### 14.2 UN proper shipping name

ADR/RID: BUTYRIC ANHYDRIDE

IMDG: BUTYRIC ANHYDRIDE

IATA: BUTYRIC ANHYDRIDE

### 14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

### 14.5 Environmental hazards

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

