An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

#### MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1. Product identifiers

Product name: Barium chloride, anhydrous, 99% Product Code: B 8743 CAS No : 10361-37-2

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 3) Acute toxicity, (Category 4) Eye irritation, (Category 2) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H301 H319 H332 **Precautionary Statements** P261 P264 P271 P301 + P310 P304 + P340 + P312 P305 + P351 + P338

Supplemental Hazard Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements H301 Precautionary Statements P264 P301 + P310 Supplemental Hazard Statements 2.3 Other hazards This substance/mixture contair

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

Ecological information:

H301: Toxic if swallowed. H332: Harmful if inhaled. H319: Causes serious eye irritation.

#### Danger

Toxic if swallowed. Causes serious eye irritation. Harmful if inhaled.

Avoid breathing dust. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. none

Danger

Toxic if swallowed.

Wash skin thoroughly after handling. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. none

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

3.1 Substances Formula : BaCl2

lor
2

Component	Classification	Concentration
barium chloride		
CAS-No. 10361-37-2	Acute Tox. 3; Acute Tox. 4; Eye Irrit. 2;	<= 100 %
EC-No. 233-788-1	H301, H332, H319	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial

respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media
Suitable extinguishing media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media
For this substance/mixture no limitations of extinguishing agents are given.
5.2 Special hazards arising from the substance or mixture
Hydrogen chloride gas
Barium oxide
Not combustible.
Ambient fire may liberate hazardous vapours.
5.3 Advice for firefighters
Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Hygiene measures Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to gualified or authorized persons. Hygroscopic. Storage class Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eve protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Body Protection protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid, gas) g) Úpper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH I) Viscosity m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density g) Relative vapor density r) Particle *c*haracteristics s) Explosive properties

t) Oxidizing properties 9.2 Other safety information No data available powder white odorless Melting point/ range: 963 °C - lit.

1.560 °C at 1.013 hPa

No data available

No data available

Not applicable No data available

No data available

0,8 at 510,4 g/l at 37 °C Viscosity, kinematic: No data available Viscosity, dynamic: No data available 375 g/l at 20 °C Not applicable for inorganic substances

No data available 3,856 g/cm3 at 25 °C - lit. No data available No data available

No data available

Not classified as explosive. none

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

### **SECTION 10: Stability and reactivity**

10.1 Reactivity No data available 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . 10.3 Possibility of hazardous reactions Risk of explosion with: furan-2-percarbonic acid Violent reactions possible with: halogen-halogen compounds Strong oxidizing agents strong reducing agents acids 10.4 Conditions to avoid no information available 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

## **SECTION 12: Ecological information**

12.1 Toxicity Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 174 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test LC50 - Daphnia magna (Water flea) - 14,5 mg/l - 48 h Remarks: (ECHA) (referred to the cation) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (algae) - > 100 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC50 - activated sludge - > 943,1 mg/l - 3 h (OECD Test Guideline 209) Toxicity to fish(Chronic toxicity) semi-static test NOÉC - Danio rerio (zebra fish) - >= 1,26 mg/l - 33 (OECD Test Guideline 210) 12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances 12.3 Bioaccumulative potential Bioaccumulation Lepomis macrochirus - 0,065 mg/l(barium chloride) Bioconcentration factor (BCF): 22,8 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

	d toxic (PBT), or very persister gher. upting properties : The substance/mixture does considered to have endocrine according to REACH Article 5 Delegated regulation (EU) 20 Regulation (EU) 2018/605 at	e disrupting properties 67(f) or Commission 17/2100 or Commission				
SECTION 13: Disp 13.1 Waste treatme No data available	osal considerations nt methods					
SECTION 14: Tran	sport information					
14.1 UN number						
ADR/RID: 1564		IMDG: 1564	IATA: 1564			
14.2 UN proper ship						
ADR/RID	: BARIUM COMPOUND, N.O					
IMDG	: BARIUM COMPOUND, N.O					
IATA	: Barium compound, n.o.s. (ba	arium chloride)				
14.3 Transport haza	ard class(es)					
ADR/RID: 6.1		IMDG: 6.1	IATA: 6.1			
14.4 Packaging gro	up					
ADR/RID: III		IMDG: III	IATA: III			
14.5 Environmental	hazards		Ve y			
ADR/RID: no		IMDG Marine pollutant: no	IATA: no			
14.6 Special precau	itions for user					
Tunnel restriction co	ode : (E)					
Further information	: No data available					
SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. Authorisations and/or restrictions on use Other regulations						
Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or						
stricter national regulations where applicable.						
Take note of Dir 94/33/EC on the protection of young people at work.						
15.2 Chemical Safety Assessment						
For this product a cl	hemical safety assessment wa	is not carried out				
Section 16: Other Information						

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product