Otto Chemie Pet Ltd An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,

Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : α-Chloralose, 98% Product Code : C 1915 CAS No: 15879-93-3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number Phone no. : + 91 98200 41841 (10 : 00 am - 06 : 00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 3) Acute toxicity, (Category 4) Specific target organ toxicity -

single exposure, (Category 3), Long-term (chronic) aquatic

Short-term (acute) aquatic hazard, (Category 1) hazard, (Category 1) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H301 H332 H336 H410 **Precautionary Statements** P261 P264 P271 P273 P301 + P310 P304 + P340 + P312 Supplemental Hazard

Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements H301 Precautionary Statements P264 P301 + P310 Supplemental Hazard H301: Toxic if swallowed.
H332: Harmful if inhaled.
H336: May cause drowsiness or dizziness.
Central nervous system
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Danger

Toxic if swallowed. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.

Avoid breathing dust. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

none

Danger

Toxic if swallowed.

Wash skin thoroughly after handling. IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Statements

none

2.3 Other hazards

none

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Component	Classification		Concentration			
-				<u></u>		
EC-No.	: 240-016-7			4		
CAS-No.	: 15879-93-3					
Molecular weight	: 309,53 g/mol					
Formula	: C8H11Cl3O6					
	Chloralose					
	Anhydro-D-glucochlo	oral				
Synonyms	: 1,2-O-(2,2,2-Trichle	: 1,2-O-(2,2,2-Trichloroethylidene)-α-D-glucofuranose				
3.1 Substances						

Component		Classification	Concentration
Chloralosane	1		
CAS-No. EC-No.	15879-93-3 240-016-7	Acute Tox. 3; Acute Tox. 4; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H301, H332, H336, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas Not combustible. Ambient fire may liberate hazardous vapours. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Hygiene measures Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Storage class Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters
Ingredients with workplace control parameters
8.2 Exposure controls
Personal protective equipment
Eye/face protection
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin protection

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L Body Protection protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state solid b) Color No data available c) Odor No data available Melting point/range: 178 - 184 °C d) Melting point/freezing point e) Initial boiling point No data available and boiling range f) Flammability (solid, The product is not flammable. gas) g) Upper/lower No data available flammability or explosive limits h) Flash point No data available i) Autoignition No data available temperature i) Decomposition No data available temperature k) pH No data available Viscosity, kinematic: No data available I) Viscosity Viscosity, dynamic: No data available m) Water solubility 4,86 g/l at 24 °C - OECD Test Guideline 105 n) Partition coefficient: log Pow: 0,85 at 24 °C - Regulation (EC) No. 440/2008, Annex, n-octanol/water A.8 - Bioaccumulation is not expected. o) Vapor pressure 0,00883 hPa at 25 °C - OECD Test Guideline 104 p) Densitv No data available Relative density No data available g) Relative vapor No data available density r) Particle No data available characteristics

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available No data available

SECTION 10: Stability and reactivity

10.1 Reactivity
No data available
10.2 Chemical stability
The product is chemically stable under standard ambient conditions (room temperature).
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
no information available
10.5 Incompatible materials
Strong oxidizing agents, Strong acids, Strong bases
10.6 Hazardous decomposition products
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 2,4 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0,027 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae ErC50 - Selenastrum capricornutum (green algae) - 0,52 mg/l - 72 h (OECD Test Guideline 201) NOEC - Selenastrum capricornutum (green algae) - 0,02 mg/l - 72 h (OECD Test Guideline 201) 12.2 Persistence and degradability Biodegradability Zahn-Wellens Test - Exposure time 28 d Result: 19 % - Not inherently biodegradable. (OECD Test Guideline 302B) 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: The substance/mixture does not contain components Assessment · considered to have endocrine disrupting properties

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

> according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects No data available				
SECTION 13: Disposal cons 13.1 Waste treatment methods No data available				
SECTION 14: Transport info	rmation			
14.1 UN number				
ADR/RID: 2811		IMDG: 2811	IATA: 2811	
14.2 UN proper shipping name ADR/RID:		RGANIC, N.O.S. (Ch	oralosano)	
		RGANIC, N.O.S. (Ch		
		ic, n.o.s. (Chloralosa		
14.3 Transport hazard class(e				
ADR/RID: 6.1	,	IMDG: 6.1	IATA: 6.1	
14.4 Packaging group		//		
ADR/RID: III IMDG: III IATA: II	1			
14.5 Environmental hazards ADR/RID: yes		IMDG Marine pollu	itant: ves IATA: no	
14.6 Special precautions for us	ser 🦱	INDG Marine point	itanit. yes iATA. no	
Tunnel restriction code : (E)				
Further information : No data a	available			
	la c		1.00	
SECTION 15: Regulatory info		NACES		
15.1 Safety, health and enviro	nmental regulation	is/legislation specific	for the	A State
substance or mixture This material safety data shee	t complias with the	roquiromonts of Por	nulation (EC) No	
1907/2006.	t complies with the			
National legislation				
Seveso III: Directive 2012/18/	EU of the			
European Parliament and of th				
on the control of major-accider	nt hazards			
involving dangerous substance				
E1 ENVIRONMENTAL HAZAF Other regulations	RUS			
Observe work restrictions rega	arding maternity pr	otection in accordance	e to Dir 92/85/EEC or	
stricter national regulations wh	ere applicable.			
Take note of Dir 94/33/EC on	the protection of yo	oung people at work.		
15.2 Chemical Safety Assessr	nent			
For this product a chemical sa	fety assessment w	as not carried out		
Section 16: Other Informatio	n			

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product