An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : p-Cresol, 98% Product Code: C 2588 CAS-No.: 106-44-5

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 3) H301: Toxic if swallowed. Acute toxicity, (Category 3) H311: Toxic in contact with skin. Skin corrosion, (Sub-category H314: Causes severe skin burns and eye damage. 1R) H318: Causes serious eye damage Serious eye damage, (Category 1) .Long-term (chronic) aquatic H412: Harmful to aquatic life with long hazard. (Category 3) lasting effects. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H301 + H311 Toxic if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects. **Precautionary Statements** P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P310 for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Supplemental Hazard none Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Danger Hazard Statements H314 Causes severe skin burns and eve damage. H412 Harmful to aquatic life with long lasting effects.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

H301 + H311	Toxic if swallowed or in contact with skin.			
Precautionary Statements				
P260	Do not breathe dust.			
P280	Wear protective gloves/ protective clothing/ eye protection/ face			
	protection.			
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated			
	clothing. Rinse skin with water.			
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable			
	for breathing. Immediately call a POISON CENTER/ doctor.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.			
	Remove contact lenses, if present and easy to do. Continue			
	rinsing.			
Supplemental Hazard	none			
Statements				
2.3 Other hazards				
This substance/mixture contains no components considered to be either persistent,				
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at				
levels of 0.1% or higher.				
Ecological information:				
The substance/mixture does not contain components considered to have endocrine				
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation				
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				
Toxicological information:				
The substance/mixture does not contain components considered to have endocrine				
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation				
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.				
SECTION 3: Composition/informati	on on ingredients			
3.1 Substances				
Synonyms : 4-Methylphenol				
Formula : C7H8O				
Molecular weight : 108,14 g/mol				
CAS-No. : 106-44-5				
EC-No. : 203-398-6				

Compone	nt	Classification	Concentration
p-cresol			
CAS-No.	106-44-5	Acute Tox. 3; Skin Corr. 1B; Eye	<= 100 %
EC-No	203-398-6	Dam. 1; Aquatic Chronic 3;	
		H301, H311, H314, H318, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

: 604-004-00-9

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice
First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Call in physician.
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact
After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.
Remove contact lenses.
If swallowed
If swallowed: give water to drink (two glasses at most). Seek medical advice immediately.

DISCLAIMER

Index-No.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.
hygroscopic Air and light sensitive. Handle and store under inert gas.

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other speci	fic uses are stipulated			
SECTION 8: Exposure controls/personal protection				
8.1 Control parametersIngredients with workplace control parameters8.2 Exposure controlsPersonal protective equipment				
Eye/face protection Use equipment for eye protection tested and approved under government standards such as NIOSH (US) or EN 166(EU).				
goggles Skin protection				
This recommendation applies only to the product stated in the supplied by us and for the designated use. When dissolving substances and under conditions deviating from those stated contact the supplier of CE-approved gloves	in or mixing with other			
Full contact Material: Chloroprene				
Minimum layer thickness: 0,65 mm				
Break through time: 480 min				
Material tested:KCL 720 Camapren® This recommendation applies only to the product stated in the	ne safety data sheet,			
supplied by us and for the designated use. When dissolving	in or mixing with other			
substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves				
Splash contact				
Material: Latex gloves				
Minimum layer thickness: 0,6 mm				
Break through time: 60 min Body Protection				
Flame retardant antistatic protective clothing.				
Respiratory protection				
Recommended Filter type: Filter A-(P3) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory				
protective devices are carried out according to the instructio				
These measures have to be properly documented.				
Control of environmental exposure				
Do not let product enter drains.	2			
SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemical properties				
a) Physical state	crystalline			
b) Color c) Odor	colorless phenol-like			
d) Melting	Melting point/range: 32 - 34 °C - lit.			
point/freezing point				
e) Initial boiling point	202 °C - lit.			
and boiling range f) Flammability (solid,	No data available			
gas)				
g) Upper/lower	Lower explosion limit: 1,1 %(V)			
flammability or explosive limits				
h) Flash point	86 °C - closed cup - DIN 51758			
i) Autoignition	559 °C			
temperature	at 1.013 hPa			
j) Decomposition temperature	No data available			
k) pH	No data available			

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product. Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle *c*haracteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information **Dissociation constant**

Viscosity, kinematic: No data available Viscosity, dynamic: No data available ca.21,5 g/l at 25 °C - completely soluble log Pow. 1,94 - Bioaccumulation is not expected.

0,147 hPa at 25 °C 1,034 g/cm3 at 25 °C - lit. 1,03 at 20 °C

No data available

No data available none

10.26 at 25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Violent reactions possible with: Strong oxidizing agents Nitric acid fuming sulfuric acid Aluminum 10.4 Conditions to avoid Strong heating. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information


12.1 Toxicity Toxicity to fish static test LC50 - Salmo trutta (brown trout) - 4,4 mg/l - 96 h Remarks: (ECHA) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 7,7 mg/l - 48 h (DIN 38412) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 21

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

14.6 Special precautions for user


Tunnel restriction code: (D/E)Further information: No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations
Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
Take note of Dir 94/33/EC on the protection of young people at work.
15.2 Chemical Safety Assessment
For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.