### otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

#### MATERIAL SAFETY DATA SHEET (MSDS)

#### **SECTION 1. Product identifiers**

Product name: Diethylamine, for HPLC 99.5% Product Code: D 1648 CAS No: 109-89-7

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD 101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Email info@ottokemi.com

1.4. Emergency telephone number Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor. Acute toxicity, (Category 3) H301: Toxic if swallowed. Acute toxicity, (Category 4) H332: Harmful if inhaled. Acute toxicity, (Category 3) Skin corrosion, (Sub-category 1A) damage. Serious eye damage, (Category 1) Specific target organ toxicity single exposure, (Category 3), Respiratory system 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H225 H301 + H311 H314 H332 Harmful if inhaled. H335 Precautionary Statements P210 other P233 P280 protection. P303 + P361 + P353 IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P310 P305 + P351 + P338 IF rinsing. Supplemental Hazard none Statements Reduced Labeling (<= 125 ml) Pictogram

H311: Toxic in contact with skin. H314: Causes severe skin burns and eye H318: Causes serious eye damage. H335: May cause respiratory irritation.

Highly flammable liquid and vapor. Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause respiratory irritation. Keep away from heat, hot surfaces, sparks, open flames and ignition sources. No smoking. Keep container tightly closed.

Wear protective gloves/ protective clothing/ eye protection/ face

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

for breathing. Immediately call a POISON CENTER/ doctor. IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Signal Word	Danger				
Hazard Statements	5				
H314	Causes severe skin burns and eye da	amage.			
H301 + H311	Toxic if swallowed or in contact with s				
Precautionary Statements					
P280	Wear protective gloves/ protective clo	othing/ eye protection/ face			
	protection.				
P303 + P361 + P353	IF ON SKIN (or hair): Take off immed	iately all contaminated			
	clothing. Rinse skin with water.				
P304 + P340 + P310	IF INHALED: Remove person to fresh	n air and keep comfortable			
	for breathing. Immediately call a POIS				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with wa	ter for several minutes.			
	Remove contact lenses, if present an	d easy to do. Continue			
	rinsing.				
Supplemental Hazard	none				
Statements					
2.3 Other hazards					
This substance/mixture contains no componen					
bioaccumulative and toxic (PBT), or very persis	stent and very bioaccumulative (vPvB) at				
levels of 0.1% or higher.					
Ecological information:					
The substance/mixture does not contain comp					
disrupting properties according to REACH Artic		ion			
(EU) 2017/2100 or Commission Regulation (El	J) 2018/605 at levels of 0.1% or higher.				
Toxicological information:					
The substance/mixture does not contain components considered to have endocrine					
disrupting properties according to REACH Artic		tion			
(EU) 2017/2100 or Commission Regulation (EU	$\frac{1}{2018/605}$ at levels of 0.1% or higher.				
CECTION 2. Company information on in					
SECTION 3: Composition/information on ing 3.1 Substances	gredients				
Formula : C4H11N		A A A A A A A A A A A A A A A A A A A			
Molecular weight : 73,14 g/mol					
CAS-No. : 109-89-7					
EC-No. : 203-716-3					
EC-NO 200-710-0					
Component	lassification	Concentration			
diethylamine					
	am. Liq. 2; Acute Tox. 3; Acute Tox. 4;	<= 100 %			
	auto Tay 2. Chin Carr 14. Evo Dom 1				

dietrylamine		
CAS-No. 109-89-7	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4;	<= 100 %
EC-No. 203-716-3	Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1;	
	STOT SE 3; H225, H301, H332, H311,	
	H314, H318, H335 Concentration limits:	
	>= 1 %: STOT SE 3, H335;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first-aid measures
General advice
First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.
If inhaled
After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact:
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact
After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.
Remove contact lenses.
If swallowed

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

#### No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Combustible. Fire may cause evolution of: nitrous gases, nitrogen oxides Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions

(see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling
Advice on safe handling
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
No aluminium, tin, or zinc containers.
Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.
Recommended storage temperature see product label.
Storage class
Storage class (TRGS 510): 3: Flammable liquids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters Ingredients with workplace control parameters Derived No Effect Level (DNEL)

Routes of exposure	Health effect	Value	
inhalation	Local effects	15 mg/m3	
inhalation	Local effects	30 mg/m3	
	inhalation	inhalation Local effects	

#### Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	0,04 mg/l
Sea water	0,004 mg/l
Aquatic intermittent release	0,046 mg/l
Fresh water sediment	0,48 mg/kg
Sea sediment	0,048 mg/kg
Soil	0,0723 mg/kg
Sewage treatment plant	100 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety

goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) **Body Protection** Flame retardant antistatic protective clothing. Respiratory protection required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type AX The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Control of environmental exposure Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid, gas) g) Úpper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Dissociation constant

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity Vapors may form explosive mixture with air. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Exothermic reaction with: nitrites Strong acids Acid anhydrides Alcohols Aldehydes Ketones Esters Halogenated hydrocarbon phenols Mercurv Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents Violent reactions possible with:

#### DISCLAIMER

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

liquid colorless ammoniacal Melting point: -50 °C

55,3 - 56,1 °C at 1.013 hPa

No data available

Upper explosion limit: 11,8 %(V) Lower explosion limit: 2,0 %(V)

-26 °C - closed cup 312 °C at 1.013 hPa No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: 0,319 mPa.s at 25 °C completely miscible log Pow: 0,58 - Bioaccumulation is not expected.

316 hPa at 25 °C 0,71 g/cm3 at 20 °C 0,71 at 20 °C

No data available No data available none

11,09 at 20 °C

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Lead Copper Copper alloys Zinc zinc alloys Tin Iron Mild steel 10.4 Conditions to avoid Warming. 10.5 Incompatible materials Lead, Copper, Copper alloys, Zinc, zinc alloys, Tin, Iron, Mild steel 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to fish semi-static test LC50 - Oryzias latipes - 27 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates semi-static test LC50 - Ceriodaphnia dubia (water flea) - 4,6 mg/l -48 h (US-EPA) Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata - 54 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC10 - activated sludge - > 1.000 mg/l - 30 min (ISO 8192) Remarks: (External MSDS) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) NOEC - Daphnia magna (Water flea) - 4,2 mg/l - 21 d

NOEC - Daphnia magna (Water flea) - 4,2 mg/l - 21 d (OECD Test Guideline 211) LC50 - Daphnia magna (Water flea) - 5,7 mg/l - 21 d (OECD Test Guideline 211) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 68 - 70 % - Readily biodegradable. (OECD Test Guideline 301C) Theoretical oxygen demand 3.620 mg/g Remarks: (IUCLID) 12.3 Bioaccumulative potential

No data available 12.4 Mobility in soil


DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com



Section 16: Other Information


This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com



Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product. Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product