otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Dimethyl dichlorosilane, 98% Product Code: D 2015 CAS No: 75-78-5

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD 101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Email info@ottokemi.com

1.4. Emergency telephone number Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2. Ha de idontificati

SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 12	272/2008
Flammable liquids (Category 2), H225	
Acute toxicity, Oral (Category 4), H302	
Acute toxicity, Inhalation (Category 3), H331	
Skin corrosion (Sub-category 1A), H314	
Serious eye damage (Category 1), H318	
Specific target organ toxicity - single exposure (C	ategory 3), Respiratory system, H335
For the full text of the H-Statements mentioned in	n this Section, see Section 16.
2.2 Label elements	
Labelling according Regulation (EC) No 1272/20	08
Pictogram	
Signal Word	Danger
Hazard statement(s)	
H225	Highly flammable liquid and vapor.
H302	Harmful i <mark>f swallo</mark> wed.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and
P280	other ignition sources. No smoking.
P200	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel
F301 + F312	unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
F 303 + F 301 + F 333	clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
1 304 + 1 340 + 1 310	for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
Supplemental Hazard	none
Statements	
Reduced Labeling (<= 125 ml)	
Pictogram	
Signal Word	Danger
Hazard statement(s)	-

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

H331		Toxic if inhaled.	
H314		Causes severe skin burns and eye da	amage.
Precautionary state	ement(s)		-
P280		Wear protective gloves/ protective cloprotection.	othing/ eye protection/ face
P303 + P361 + P3	53	IF ON SKIN (or hair): Take off immed clothing. Rinse skin with water.	diately all contaminated
P304 + P340 + P3	10	IF INHALED: Remove person to fresl	
P305 + P351 + P3	28	for breathing. Immediately call a POI	
P305 + P351 + P3	30	IF IN EYES: Rinse cautiously with wa Remove contact lenses, if present an	
		rinsing.	id easy to do. Continue
Supplemental Haz	ard	none	
Statements	alu	lione	
2.3 Other hazards			
2.0 Other huzurus			
This substance/mi	xture contains no compon	ents considered to be either persistent	
		ents considered to be either persistent,	
bioaccumulative a	nd toxic (PBT), or very pe	ents considered to be either persistent, rsistent and very bioaccumulative (vPvB) at	0.0
	nd toxic (PBT), or very pe		
bioaccumulative at levels of 0.1% or h	nd toxic (PBT), or very pe igher.	rsistent and very bioaccumulative (vPvB) at	
bioaccumulative at levels of 0.1% or h	nd toxic (PBT), or very pe	rsistent and very bioaccumulative (vPvB) at	C C
bioaccumulative and levels of 0.1% or h SECTION 3: Com 3.1 Substances	nd toxic (PBT), or very pe igher. position/information on	rsistent and very bioaccumulative (vPvB) at ingredients	C C
bioaccumulative an levels of 0.1% or h SECTION 3: Com	nd toxic (PBT), or very pe igher.	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative and levels of 0.1% or h SECTION 3: Com 3.1 Substances	nd toxic (PBT), or very pe igher. position/information on : Dimethyldichlorosilane	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative and levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula	nd toxic (PBT), or very per igher. position/information on : Dimethyldichlorosilane DMDCS	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative and levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms	nd toxic (PBT), or very per igher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight	nd toxic (PBT), or very per igher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight CAS-No.	nd toxic (PBT), or very perigher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol : 75-78-5	rsistent and very bioaccumulative (vPvB) at ingredients	
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight CAS-No.	nd toxic (PBT), or very perigher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol : 75-78-5	rsistent and very bioaccumulative (vPvB) at ingredients	Concentration
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight CAS-No. EC-No.	nd toxic (PBT), or very per igher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol : 75-78-5 : 200-901-0	ingredients	
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight CAS-No. EC-No. Component	nd toxic (PBT), or very per igher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol : 75-78-5 : 200-901-0	ingredients	
bioaccumulative au levels of 0.1% or h SECTION 3: Com 3.1 Substances Synonyms Formula Molecular weight CAS-No. EC-No. Component dichlorodimethylsil	nd toxic (PBT), or very perigher. position/information on : Dimethyldichlorosilane DMDCS : C2H6Cl2Si : 129,06 g/mol : 75-78-5 : 200-901-0 ane	rsistent and very bioaccumulative (vPvB) at ingredients Classification	Concentration

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media Foam Water 5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas silicon oxides Flash back possible over considerable distance., Container explosion may occur under fire conditions. Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions Do not let product enter drains. Risk of explosion. 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13. **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Keep away from water. Storage stability Recommended storage temperature

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

2 - 8 °C Handle and store under inert gas. Storage class Storage class (TRGS 510): 3: Flammable liquids 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton® Minimum laver thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) Body Protection Flame retardant antistatic protective clothing. Respiratory protection Recommended Filter type: Filter type B The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties a) Physical state liquid b) Color colorless c) Odor No data available d) Melting Melting point/range: -76 °C - lit. point/freezing point e) Initial boiling point 70 °C - lit. and boiling range f) Flammability (solid, No data available gas) g) Upper/lower

Upper explosion limit: 10,4 %(V) Lower explosion limit: 5,5 %(V)

DISCLAIMER

flammability or

explosive limits

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH l) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity Vapors may form explosive mixture with air. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . 10.3 Possibility of hazardous reactions Exothermic reaction with: Water Alcohols Acetone Esters Ketones Aldehydes Amines alkalines Oxidizing agents acids Risk of ignition or formation of inflammable gases or vapours with: Ammonia 10.4 Conditions to avoid Do not allow water to enter container because of violent reaction. Warming. 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

DISCLAIMER

1 °C - closed cup 425 °C at 1.013 hPa No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available hydrolyzes log Pow: 1,81

146,26 hPa at 20 °C 1,07 g/cm3 at 25 °C - lit. No data available No data available

No data available

No data available none


Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 12: Ecological information



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product


An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product