An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Ethyl silicate Product Code: E 1661 CAS No : 78-10-4

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email <u>info@ottokemi.com</u>

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Flammable liquids, (Category 3) Acute toxicity, (Category 4) Eye irritation, (Category 2) Specific target organ toxicity single exposure, (Category 3), Respiratory system 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H226 H319 H332 H335 **Precautionary Statements** P210 P233 P240

P241 P304 + P340 + P312

P305 + P351 + P338

Supplemental Hazard Statements Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements Precautionary Statements Supplemental Hazard Statements 2.3 Other hazards H226: Flammable liquid and vapor. H332: Harmful if inhaled. H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Warning

Flammable liquid and vapor. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Warning none none none

none

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Tetraethoxysilane
	Orthosilicic acid tetraethyl ester
Formula	: C8H20O4Si
Molecular weight	: 208,33 g/mol
CAS-No.	: 78-10-4
EC-No.	: 201-083-8

Component	Classification	Concentration
tetraethyl silicate		
CAS-No. 78-10-4	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2;	<= 100 %
EC-No. 201-083-8	STOT SE 3; H226, H332, H319, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower In case of eye contact After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Carbon oxides silicon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance
contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains. Risk of explosion.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions
(see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).
Dispose of properly. Clean up affected area.
6.4 Reference to other sections
For disposal see section 13.
SECTION 7: Handling and storage
7.1 Precautions for safe handling
Advice on safe handling
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary
measures against static discharge.
Hygiene measures
Change contaminated clothing. Preventive skin protection recommended. Wash hands after
working with substance.
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Store under nitrogen.
Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and
sources of ignition.
Moisture sensitive.
Storage class
Storage class (TRGS 510): 3: Flammable liquids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
18
SECTION 8: Exposure controls/personal protection
8.1 Control parameters

8.1 Control parameters

Ingredients with workplace control parameters Predicted No Effect Concentration (PNEC)

Compartment	Value	
Fresh water	0,192 mg/l	
Sea water	0,0192 mg/l	
Fresh water sediment	0,83 mg/kg	
Sea sediment	0,083 mg/kg	
Soil	0,05 mg/kg	
Sewage treatment plant	4000 mg/l	
Aquatic intermittent release	10 mg/l	

8.2 Exposure controls Personal protective equipment

Eye/face protection

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Use equipment for eye protection tested and approved under government standards such as NIOSH (US) or EN 166(EU) Skin protection	. Safety glasses
This recommendation applies only to the product stated in t supplied by us and for the designated use. When dissolving	
substances and under conditions deviating from those state	d in EN 16523-1 please
contact the supplier of CE-approved gloves (e.g. KCL Gmbl Internet: www.kcl.de).	H, D-36124 Eichenzell,
Full contact	
Material: Nitrile rubber	
Minimum layer thickness: 0,4 mm	
Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size	
This recommendation applies only to the product stated in t	
supplied by us and for the designated use. When dissolving	
substances and under conditions deviating from those state	
contact the supplier of CE-approved gloves (e.g. KCL Gmbl Internet: www.kcl.de).	h, D-36124 Eichenzell,
Splash contact	
Material: Chloroprene	
Minimum layer thickness: 0,65 mm Break through time: 240 min	
Material tested:KCL 720 Camapren®	
Body Protection	
Flame retardant antistatic protective clothing.	
Respiratory protection required when vapours/aerosols are generated.	
Our recommendations on filtering respiratory protection are	based on the following
standards: DIN EN 143, DIN 14387 and other accompanyin	
the used respiratory protection system. Recommended Filter type: Filter type ABEK	
The entrepeneur has to ensure that maintenance, cleaning	and testing of respiratory
protective devices are carried out according to the instruction	
These measures have to be properly documented.	
Control of environmental exposure Do not let product enter drains. Risk of explosion.	
Do not let product enter drains. Hisk of explosion.	
SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	1
a) Physical state b) Color	liquid colorless
c) Odor	No data available
d) Melting	Melting point: -82,5 °C at ca.1.013 hPa
point/freezing point e) Initial boiling point	168 °C
and boiling range	
f) Flammability (solid,	No data available
gas)	1 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =
g) Upper/lower flammability or	Upper explosion limit: 23 %(V) Lower explosion limit: 1,3 %(V)
explosive limits	
h) Flash point	45 °C - closed cup - DIN 51755 Part 1
i) Autoignition temperature	222 °C at 960.8 hPa
j) Decomposition	No data available
temperature	
k) pH	No data available
I) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,6 mPa.s at 20 °C
m) Water solubility	1,49 g/l at 23 °C at 7 hPa - soluble
n) Partition coefficient:	log Pow: 3,18 at 40 °C - Bioaccumulation is not expected.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapor density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information Relative vapor density

< 1 hPa at 20 °C 0,934 g/mL at 25 °C No data available No data available

No data available

Not classified as explosive.

7,19 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity Vapor/air-mixtures are explosive at intense warming. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) May decompose on exposure to moist air or water. 10.3 Possibility of hazardous reactions No data available 10.4 Conditions to avoid Heating. 10.5 Incompatible materials rubber, various plastics 10.6 Hazardous decomposition products In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - > 245 mg/l - 96 h (Regulation (EC) No. 440/2008, Annex, C.1) Toxicity to daphnia and other aquatic invertebrates flow-through test EC50 - Daphnia magna (Water flea) - > 75 mg/l -48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC50 - activated sludge - > 100 mg/l - 3 h (OECD Test Guideline 209) 12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 98 % - Readily biodegradable. (Directive 67/548/EEC Annex V, C.4.A.) 12.3 Bioaccumulative potential

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

This substance/mix	d toxic (PBT), or very persister gher		
12.7 Other adverse No data available	according to REACH Article 5 Delegated regulation (EU) 20 Regulation (EU) 2018/605 at	i7(f) or Commission 17/2100 or Commission	
13.1 Waste treatme No data available			AR-C
SECTION 14: Tran 14.1 UN number ADR/RID: 1292 14.2 UN proper ship ADR/RID IMDG IATA 14.3 Transport haza	pping name : TETRAETHYL SILICATE : TETRAETHYL SILICATE : Tetraethyl silicate	IMDG: 1292	IATA: 1292
ADR/RID: 3 14.4 Packaging gro ADR/RID: III 14.5 Environmental		IMDG: 3 IMDG: III	IATA: 3 IATA: III
ADR/RID: yes 14.6 Special precau Tunnel restriction of Further information		IMDG Marine pollutant: yes	IATA: no
15.1 Safety, health substance or mixtur This material safety 1907/2006. Authorisations and/ National legislation Seveso III: Directive European Parliame on the control of ma involving dangerous P5c FLAMMABLE I Other regulations Observe work restri stricter national reg	data sheet complies with the or restrictions on use e 2012/18/EU of the nt and of the Council ajor-accident hazards s substances. LIQUIDS actions regarding maternity pro ulations where applicable. /33/EC on the protection of you	requirements of Regulation (EC) No.	r
	Assessment has been carried	out for this substance.	

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse

DISCLAIMER


Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.