

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Fehlings solution B
Product Code: F 1272

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number
Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Corrosive to Metals (Category 1), H290
Skin corrosion (Sub-category 1A), H314
Serious eye damage (Category 1), H318
For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Danger

Hazard statement(s)

May be corrosive to metals.

H290

Causes severe skin burns and eye damage.

H314

Precautionary statement(s)

Keep only in original packaging.

P234

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P280

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363

Wash contaminated clothing before reuse.

Supplemental Hazard

none

Statements

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage.

H314

Precautionary statement(s)

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P280

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Remove contact lenses, if present and easy to do. Continue rinsing.
Wash contaminated clothing before reuse.
none

P363

Supplemental Hazard Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component	Classification	Concentration
sodium hydroxide		
EC-No. 215-185-5	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318 Concentration limits: >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0,5 - < 2 %: Skin Irrit. 2, H315; 0,5 - < 2 %: Eye Irrit. 2, H319; >= 0,4 %: Met. Corr. 1, H290;	>= 10 - < 20 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Potassium oxides

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatrill® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Material tested:KCL 741 Dermatril® L
required

Body Protection
protective clothing

Respiratory protection
required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state

liquid

b) Color

clear, colorless

c) Odor

No data available

d) Melting

No data available

point/freezing point

No data available

e) Initial boiling point

and boiling range

f) Flammability (solid,

No data available

gas)

g) Upper/lower

No data available

flammability or

explosive limits

h) Flash point

Not applicable

i) Autoignition

Not applicable

temperature

j) Decomposition

No data available

temperature

k) pH

No data available

l) Viscosity

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility

at 20 °C soluble

n) Partition coefficient:

No data available

n-octanol/water

o) Vapor pressure

No data available

p) Density

No data available

Relative density

No data available

q) Relative vapor

No data available

density

r) Particle

No data available

characteristics

s) Explosive properties

No data available

t) Oxidizing properties

No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Acetone

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

Chlorine
Ethylene oxide
Fluorine
Hydrogen halides
Hydrazine hydrate
hydroxylamine
Acid anhydrides
Acrolein
Acid chlorides
Acids
sulfuric acid
Chloroform
Water

hydrogen peroxide
anhydrides
phosphides
halogen-halogen compounds
trichloroethene

can decompose violently in contact with:

Organic Substances

hydrogen sulphide

Risk of ignition or formation of inflammable gases or vapours with:

powdered aluminium

Ammonium salts

persulfates

Sodium borohydride

phosphorus

Oxides of phosphorus

Halogenated hydrocarbon

Light metals

Metals

Risk of explosion/exothermic reaction with:

Bromine

Calcium

in powder form

furfuryl alcohol

Nitromethane

Peroxides

organic nitro compounds

Nitriles

Acrylic monomers

Chloroform

with

Acetone

Nitrobenzene

with

Methanol

Nitrobenzene

with

salts

magnesium

Zinc

and

Tin

(In the presence of atmospheric oxygen and/or moisture)


10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals

10.6 Hazardous decomposition products



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

sodium hydroxide

Toxicity to fish LC50 - *Gambusia affinis* (Mosquito fish) - 125 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

and other aquatic

invertebrates

EC50 - *Ceriodaphnia* (water flea) - 40,4 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria EC50 - *Photobacterium phosphoreum* - 22 mg/l - 15 min

Remarks: (External MSDS)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1824

IMDG: 1824

IATA: 1824

14.2 UN proper shipping name

ADR/RID : SODIUM HYDROXIDE SOLUTION

IMDG : SODIUM HYDROXIDE SOLUTION

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841
Email : info@ottokemi.com Web : www.ottokemi.com

IATA	: Sodium hydroxide solution		
14.3 Transport hazard class(es)			
ADR/RID: 8		IMDG: 8	IATA: 8
14.4 Packaging group			
ADR/RID: II		IMDG: II	IATA: II
14.5 Environmental hazards			
ADR/RID: no		IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user			
Tunnel restriction code	: (E)		
Further information	: No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product