

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : Hexadecylamine, 98%
Product Code : H 1335
CAS No: 143-27-1

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification
OTTO CHEMIE PVT LTD
No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number

Phone no. : + 91 98200 41841 (10 : 00 am – 06 : 00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin corrosion (Sub-category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure (Category 2), Gastrointestinal tract,
Liver, Immune system, H373

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Danger

Hazard statement(s)

H304

May be fatal if swallowed and enters airways.

H314

Causes severe skin burns and eye damage.

H373

May cause damage to organs (Gastrointestinal tract, Liver,
Immune system) through prolonged or repeated exposure.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260

Do not breathe dust.

P280

Wear protective gloves/ protective clothing/ eye protection/ face
protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated
clothing. Rinse skin with water.

P304 + P340 + P310 q

IF INHALED: Remove person to fresh air and keep comfortable
for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue
rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

H304

May be fatal if swallowed and enters airways.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Precautionary statement(s)

P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: 1-Aminohexadecane Cetylamine
Formula	: C16H35N
Molecular weight	: 241,46 g/mol
CAS-No.	: 143-27-1
EC-No.	: 205-596-8

Component	Classification	Concentration
Hexadecylamine		
CAS-No. 143-27-1 EC-No. 205-596-8	Skin Corr. 1A; Eye Dam. 1; STOT RE 2; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H314, H318, H373, H304, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NO_x)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P3)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state	crystalline
b) Color	white
c) Odor	No data available
d) Melting point/freezing point	Melting point/range: 43 - 45 °C - lit.
e) Initial boiling point and boiling range	330 °C - lit.
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	141 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

m) Water solubility	Viscosity, dynamic: No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	log Pow: 6,73 - (calculated) - (Lit.), Potential bioaccumulation
p) Density	0,000 hPa at 25 °C - OECD Test Guideline 104
Relative density	0,94 g/cm ³ at 20 °C - OECD Test Guideline 109
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none
9.2 Other safety information	
No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia
and other aquatic
invertebrates

static test EC50 - Daphnia magna (Water flea) - 0,98 mg/l - 48 h

(OECD Test Guideline 202)

Remarks: The value is given in analogy to the following substances:

(Z)-octadec-9-enylamine

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 0,39

mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Tallow alkyl amines
static test NOEC - Desmodesmus subspicatus (green algae) - 0,125
mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

Tallow alkyl amines

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 61 % - Readily biodegradable.

(OECD Test Guideline 301B)

Remarks: The 10 day time window criterion is not fulfilled.

The value is given in analogy to the following substances: Tallow
alkyl amines

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at
levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment :

The substance/mixture does not contain components
considered to have endocrine disrupting properties
according to REACH Article 57(f) or Commission
Delegated regulation (EU) 2017/2100 or Commission
Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1759

IMDG: 1759

IATA: 1759

14.2 UN proper shipping name

ADR/RID: CORROSIVE SOLID, N.O.S. (Hexadecylamine) (Hexadecylamine)

IMDG: CORROSIVE SOLID, N.O.S. (Hexadecylamine) (Hexadecylamine)

IATA: Corrosive solid, n.o.s. (Hexadecylamine) (Hexadecylamine)

14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

14.4 Packaging group

ADR/RID: I

IMDG: I

IATA: I

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the
substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.
1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the
European Parliament and of the Council
on the control of major-accident hazards

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for
mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)
Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.


Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product