An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1. Product identifiers

Product name: Lead fluoborate Product Code: L 1380 CAS No : 13814-96-5

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture H302: Harmful if swallowed. Acute toxicity, (Category 4) Acute toxicity, (Category 4) H332: Harmful if inhaled. Reproductive toxicity, (Category H360FD: May damage fertility. May 1A) damage the unborn child. Specific target organ toxicity -H373: May cause damage to organs repeated exposure, (Category 2), through prolonged or repeated exposure. Central nervous system, Reproductive organs Short-term (acute) aquatic H400: Very toxic to aquatic life. hazard. (Category 1) H410: Very toxic to aquatic life with long Long-term (chronic) aquatic hazard, (Category 1) lasting effects. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H302 + H332 Harmful if swallowed or if inhaled. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (Central nervous system, Reproductive organs) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. Precautionary Statements P202 Do not handle until all safety precautions have been read and understood P260 Do not breathe mist or vapors. Avoid release to the environment. P273 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention. Supplemental Hazard none Statements Restricted to professional users. Reduced Labeling (<= 125 ml)

DISCLAIMER

Pictogram

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Signal Word	Danger	Danger			
Hazard Statements H360FD	May damage fertility. May damage the unborn child.				
Precautionary Statements P202	Do not handle until all safety precautions have been read and understood.				
P308 + P313		Get medical advice/ attention.			
Supplemental Hazard Statements					
2.3 Other hazards					
This substance/mixture contains no components considered to be either persistent,					
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.					
Ecological information:					
The substance/mixture does not contain con					
	Article 57(f) or Commission Delegated regulat	ion			
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:					
The substance/mixture does not contain co					
	Article 57(f) or Commission Delegated regulat	ion			
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
SECTION 3: Composition/information on ingredients					
3.2 Mixtures					
	: Lead(II) fluoroborate				
Molecular weight : 380,81 g/m					
Component	Classification	Concentration			
Lead(II) tetrafluoroborate Included in the					
Candidate List of Substances of Very		A State			
High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)					
CAS-No. 13814-96-5	Acute Tox. 4; Repr. 1A; STOT RE 2;	>= 50 - < 70 %			
EC-No. 237-486-0	Aquatic Acute 1; Aquatic Chronic 1;				
	H302, H332, H360FD, H373, H400, H410				
	Concentration limits: >= 2,5 %: Repr. 2,				
	H361f; >= 0,5 %: STOT RE 2, H373; M-				
	Factor - Aquatic Acute: 100 - Aquatic				
	Chronic: 100				

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

and cardiac arrhythmias should be monitored for, since they can occur after exposure. Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. In case of skin contact First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician. In case of eye contact After eve contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known. Mixture with combustible ingredients. Development of hazardous combustion gases or vapours possible in the event of fire. 5.3 Advice for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. 5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8. 6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. 6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Storage conditions Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Storage class Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated SECTION 8: Exposure controls/personal protection

8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Skin protection required Body Protection protective clothing Respiratory protection required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid, gas) g) Úpper/lower flammability or explosive limits h) Flash point i) Autoignition temperature j) Decomposition temperature k) pH I) Viscosity m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure

p) Density Relative density liquid No data available No data available No data available

No data available

No data available

No data available

Not applicable No data available

No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available at 20 °C soluble No data available

No data available 1,615 g/mL at 25 °C No data available

DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

q) Relative vapor

density r) Particle characteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available No data available

No data available

No data available No data available

SECTION 10: Stability and reactivity

1
1

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact, Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on other Toxic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

SECTION 12: Ecological information

12.1 Toxicity Mixture Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0,0079 mg/l - 96 h (Lead(II) tetrafluoroborate) Remarks: (ECOTOX Database) Toxicity to algae NOEC - Pseudokirchneriella subcapitata (microalgae) - 0,041 mg/l -7 d (Lead(II) tetrafluoroborate) Remarks: (ÉCOTOX Database) (Lead(II) tetrafluoroborate) ErC50 - Pseudokirchneriella subcapitata (microalgae) - 2,65 mg/l -96 h (Lead(II) tetrafluoroborate) Remarks: (ECOTOX Database) (Lead(II) tetrafluoroborate) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) NOEC - Daphnia magna (Water flea) - 23,6 mg/l - 48 h (Lead(II) tetrafluoroborate) Remarks: (ECOTOX Database) 12.2 Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances. 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

No data available							
12.5 Results of PBT and vPvB assessment							
		considered to be either persistent	t,				
	bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at						
levels of 0.1% or h		, ,	,				
12.6 Endocrine dis							
Product:							
Assessment	: The substance/mixture doe	s not contain components					
	considered to have endocrin						
	according to REACH Article						
	Delegated regulation (EU) 2	017/2100 or Commission					
	Regulation (EU) 2018/605 at						
12.7 Other adverse		0					
No data available							
Components							
Lead(II) tetrafluoro	borate						
	50 - Pimephales promelas (fatł	nead minnow) - 0,0079 mg/l					
96 h		, , , , , , , , , , , , , , , , , , , ,					
Remarks: (ECOTO	DX Database)						
Toxicity to algae N	IOEC - Pseudokirchneriella sul	bcapitata (microalgae) - 0.041					
mg/l - 7 d		1 (3)					
Remarks: (ECOTOX Database)							
	ErC50 - Pseudokirchneriella subcapitata (microalgae) - 2,65						
mg/l - 96 h							
Remarks: (ECOTOX Database)							
Toxicity to daphnia							
and other aquatic							
	invertebrates(Chronic						
toxicity)							
NOEĆ - Daphnia magna (Water flea) - 23,6 mg/l - 48 h							
Remarks: (ECOTO		A Maria					
SECTION 13: Dis	posal considerations						
13.1 Waste treatm	ent methods						
No data available							
SECTION 14: Tra	nsport information						
14.1 UN number							
ADR/RID: 3082		IMDG: 3082	IATA: 3082				
14.2 UN proper sh							
ADR/RID		ARDOUS SUBSTANCE, LIQUID,	, N.O.S. (Lead(II)				
	tetrafluoroborate)						
IMDG		ARDOUS SUBSTANCE, LIQUID,	, N.O.S. (Lead(II)				
	tetrafluoroborate)						
IATA		s substance, liquid, n.o.s. (Lead(II)	tetrafluoroborate)				
14.3 Transport haz	zard class(es)						
ADR/RID: 9		IMDG: 9	IATA: 9				
14.4 Packaging gr	oup						
ADR/RID: III		IMDG: III	IATA: III				
14.5 Environmenta	al hazards						
ADR/RID: yes		IMDG Marine pollutant: yes	IATA: yes				
14.6 Special preca							
Tunnel restriction							
Further information							
EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and							
	a a i a	ings with Dangerous Goods > 5L	tor liquids				
or > 5kg for solids.							
	sport in bulk according to IMO	instruments					
Not applicable for	product as supplied.						

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. Authorisations and/or restrictions on use REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Lead(II) tetrafluoroborate REACH - Restrictions on the manufacture. placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Lead(II) tetrafluoroborate National legislation Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS Other regulations Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work. 15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product