An ISO 9001 : 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

#### **MATERIAL SAFETY DATA SHEET (MSDS)**

**SECTION 1. Product identifiers** 

Product name: Lime water, saturated solution

Product Code: L 1449 CAS No: 1305-62-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,

Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email info@ottokemi.com

1.4. Emergency telephone number

Phone no.: + 91 22 2207 0099 (9:00am - 6:00 pm).

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Skin irritation, (Category 2)

Serious eye damage, (Category

1)

Specific target organ toxicity -

single exposure, (Category 3),

Respiratory system

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Hazard Statements

H315

H318 H335

**Precautionary Statements** 

P261

P264

P271

P280

P302 + P352

P305 + P351 + P338

Supplemental Hazard

Statements

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Hazard Statements

H318

**Precautionary Statements** 

P305 + P351 + P338

Supplemental Hazard

Statements
2.3 Other hazards

This substance/mixture contains no components considered to be either persistent,

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

Danger

Causes skin irritation.

Causes serious eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

May cause respiratory irritation.

Avoid breathing dust.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection/ face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

none

Danger

ŭ

Causes serious eye damage.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.



An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

3.1 Substances

Formula : Ca(OH)2 Molecular weight : 74,1 g/mol CAS-No. : 1305-62-0

Component	Classification	Concentration
Lime water, saturated solution		
CAS-No. 1305-62-0	Skin Irrit. 2; Eye Dam. 1; STOT SE 3;	<= 100 %
EC-No. 215-137-3	H315, H318, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Calcium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.



An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

system.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Do not use light-weight-metal containers.

Tightly closed. Dry.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Local effects	4 mg/m3
Worker DNEL, longterm	inhalation	Local effects	1 mg/m3
Consumer DNEL, acute	inhalation	Local effects	4 mg/m3
Consumer DNEL, longterm	inhalation	Local effects	1 mg/m3

Predicted No Effect Concentration (PNEC)

redicted No Effect Concentration (FNEO)		
Compartment	Value	
Fresh water	0,49 mg/l	
Sea water	0,32 mg/l	
Aquatic intermittent release	0,49 mg/l	
Soil	1080 mg/kg	
Sewage treatment plant	3 mg/l	

## 8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

**Body Protection** protective clothing Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

- a) Physical state
- b) Color
- c) Odor
- d) Melting point/freezing point
- e) Initial boiling point
- and boiling range
- f) Flammability (solid,
- gas)
- g) Upper/lower flammability or explosive limits
- h) Flash point
- i) Autoignition
- temperature

j) Decomposition temperature k) pH

I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water

o) Vapor pressure p) Density

Relative density q) Relative vapor

density

solid white

No data available

Melting point/ range: >= 450 °C - Regulation (EC) No.

440/2008. Annex. A.1 2.850 °C - (decomposition)

The product is not flammable. - Flammability (solids)

No data available

Not applicable

> 400 °C

- Relative self-ignition temperature for solids

No data available

12,4 - 12,6 at 20 °C

Viscosity, kinematic: No data available Viscosity, dynamic: No data available

1,85 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6

Not applicable for inorganic substances

No data available 2,240 g/cm3 at 20 °C

2,22 at 20 °C - OECD Test Guideline 109

#### DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

r) Particle

characteristics

s) Explosive properties

t) Oxidizing properties

9.2 Other safety information

Bulk density

Surface tension

No data available

No data available

none

ca.400 kg/m3

72 mN/m at 1g/l at 20 °C

- OECD Test Guideline 115

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Exothermic reaction with:

hydrogen sulphide

Light metals

phosphorus

organic nitro compounds

acids

Risk of explosion with:

anhydrides

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Light metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

## **SECTION 12: Ecological information**

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 50,6 mg/l

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 49,1 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

184,6 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 300,4 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Does not bioaccumulate.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company

101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel: + 91 98200 41841

Email: info@ottokemi.com Web: www.ottokemi.com

IMDG:

IMDG: -

IMDG: -

IMDG Marine pollutant: no

IATA: -

IATA: -

IATA: -

IATA: no

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted. Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

No data available

**SECTION 14: Transport information** 

14.1 UN number ADR/RID: -

14.2 UN proper shipping name

ADR/RID : Not dangerous goods IMDG : Not dangerous goods

IATA : Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -

14.4 Packaging group ADR/RID: -

14.5 Environmental hazards

ADR/RID: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.