

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1. Product identifiers

Product name: Melamine formaldehyde resin, 98%

Product Code: Code: M 1557

CAS No :

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification

OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,

Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email [info@ottokemi.com](mailto:info@ottokemi.com)

1.4. Emergency telephone number

Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

### Section 2 – Hazard(s) Identification

2.1 Classification of the substance or mixture:

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

H315 Skin irritation – Category 2

H317 Skin sensitization – Category 1

H350 Carcinogenicity – Category 1A

2.2 GHS Label elements, including precautionary statements

Pictogram(s):

Signal word: Warning

Health Hazards

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H350 May cause cancer.

General Precautions

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Prevention Precautions

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response Precautions

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Storage Precautions

P405 Store locked up.

Disposal Precautions

P501 Dispose of contents/container according to local, state and federal laws.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS – none known

### Section 3 - Composition / Information on Ingredients

3.1 Substances/Mixtures

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard

Communication Standard: 29 CFR 1910.1200:

Melamine formaldehyde resin 9003-08-1 >99%

Formaldehyde 50-00-0 <1.0%

### Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

---

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

#### Eye Contact

Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Check and remove any contact lenses if safe to do so. Continue to rinse for at least 15 minutes. If irritation develops, seek medical attention.

#### Skin Contact

In case of skin contact, wash thoroughly with soap and water. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

#### Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

#### 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

#### 4.3 Indication of any immediate medical attention and specific treatment needed, if necessary.

## Section 5 - Fire-Fighting Measures

### 5.1 Extinguishing Media

Water Fog, Dry Chemical, and Carbon Dioxide Foam

### 5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur, and the container may burst.

### 5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

### 6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

### 6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely. Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

### 6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

### 7.3 Specific end use(s)

---

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Control parameters

Component	CAS Number	ACGIH TWA	Exposure Limits OSHA PEL	Weight Percent (%)
Melamine Formaldehyde Resin	9003-08-1	10mg/m3 total dust 5mg/m3 respir dust	15mg/m3 total dust 5mg/m3 respir. dust	>99
Formaldehyde	50-00-0	1 ppm	0.75 ppm	<1.0

### 8.2 Exposure controls

#### Respiratory Protection

Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

#### Hand Protection

Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

#### Eye Protection

Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Other Protective Clothing/Equipment

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

#### Comments

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: off white powder

Vapor pressure: None (Polymeric Resin)

Odor: slight irritating Vapor density (Air=1): >1

pH: (50% in water) 8 - 10

Evaporation rate: 0.65

Flash Point: >200 °F

Solubility in water: slightly soluble

Melting / freezing point: 221 – 239 °F

Specific Gravity

(H<sub>2</sub>O=1, at 4 °C): No data

Low / high boiling point: No data

Relative density: No data

Upper flammability limits: No data

Decomposition temperature: No data

Lower flammability limits: f.p. at or above 200 °F

Viscosity: powder

## Section 10 - Stability and Reactivity

### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

### 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

handling conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Strong bases and acids

10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## SECTION 11: Toxicological information

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

## Section 12 - Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and Degradability

No data available

12.3 Bioaccumulative Potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other Adverse Effects

No data available

## Section 13 - Disposal Considerations

13.1 Waste treatment methods

Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Regulations may vary in various locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

Container disposal

Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Do not reuse empty containers.

## Section 14 - Transport Information

Not regulated by DOT / IMDG / IATA

## Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of June 2023)

This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of

---

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Very High Concern (SVHC).

TSCA Inventory Status (40 CFR710)

All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

CERCLA Hazardous Substance (40 CFR 302.4) listed specific per RCRA, Sec. 3001;

CWA,

Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112

Chemical Name RQ % Reportable Component

Formaldehyde 100 lbs. <1.0

SARA Toxic Chemical (40 CFR 372.65):

Chemical Name CAS # % by Weight

Formaldehyde 50-00-0 <1.0

SARA EHS (Extremely Hazardous Substance) (40 CFR 355):

Chemical Name TPQ % Reportable Component

Formaldehyde 500 lbs. <1.0

This product contains the following chemicals that are subject to release reporting requirements under section 313 of SARA Title III.

Chemical Name CAS # % by Weight

Formaldehyde 50-00-0 <1.0

California Proposition 65

This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product