An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : Mercuric chloride, GR 99% Product Code: M 1677 CAS-No.: 7487-94-7

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet
Company identification
OTTO CHEMIE PVT LTD
101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208.
Email info@ottokemi.com

1.4. Emergency telephone number Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 2) H300: Fatal if swallowed. Skin corrosion, (Sub-category 1B) H314: Causes severe skin burns and eye damage. Germ cell mutagenicity, H341: Suspected of causing genetic (Category 2) defects. Reproductive toxicity, (Category2) H361f: Suspected of damaging fertility. Specific target organ toxicity repeated exposure, (Category 1) H372: Causes damage to organs through prolonged or repeated exposure. Short-term (acute) aquatic hazard, (Category 1) H400: Very toxic to aquatic life. Long-term (chronic) aquatic hazard, (Category 1) H410: Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Danger Hazard Statements H300 Fatal if swallowed. Causes severe skin burns and eye damage. H314 H341 Suspected of causing genetic defects. Suspected of damaging fertility. H361f H372 Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects. H410 **Precautionary Statements** Do not breathe dust. P260 Avoid release to the environment. P273 Wear protective gloves/ protective clothing/ eye protection/ face protection. P280 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

P304 + P340 + P310	IF INHALED: Remove person to fresh air a for breathing. Immediately call a POISON (
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for Remove contact lenses, if present and eas	r several minutes.		
Supplemental Hazard Statements	none	,		
Reduced Labeling (<= 125 ml) Pictogram				
Signal Word	Danger			
Hazard Statements	5			
H300	Fatal if swallowed.			
H372	Causes damage to organs through prolong	ed or repeated exposure.		
H314	Causes severe skin burns and eye damage.			
H341	Suspected of causing genetic defects.			
H361f	Suspected of damaging fertility.			
Precautionary Statements				
P260	Do not breathe dust.			
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.			
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately	all contaminated		
D004 - D040 - D040	clothing. Rinse skin with water.			
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable			
D205 + D254 + D220	for breathing. Immediately call a POISON CENTER/ doctor.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.			
Supplemental Hazard	Remove contact lenses, if present and easy to do. Continue rinsing.			
Statements	none			
2.3 Other hazards				
	ponents considered to be either persistent,			
		at a state of the		
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.				
Ecological information:				
The substance/mixture does not contain components considered to have endocrine				
disrupting properties according to REACH Article 57(f) or Commission Delegated regulation				
(EU) 2017/2100 or Commission Regulat	ion (EU) 2018/605 at levels of 0.1% or high	er.		
Toxicological information:				
	components considered to have endocrine			
disrupting properties according to REAC	H Article 57(f) or Commission Delegated re	gulation		
	ion (EU) 2018/605 a <mark>t leve</mark> ls of 0.1% or high	er.		
Rapidly absorbed through skin.				
SECTION 3: Composition/information on ingredients				
3.1 Substances				
Synonyms : Mercuric chloride				
Formula : Cl2Hg				
Molecular weight : 271,50 g/mol				
CAS-No. : 7487-94-7 EC-No. : 231-299-8				
Component	Classification	Concentration		
NA 19 1 1 1 1		Concentration		
CAS-No. 7487-94-7	Acute Tox. 2; Skin Corr.	<= 100 %		
EC-No.231-299-8	1B; Muta. 2; Repr. 2;	100 /0		
20.13.201 200 0	STOT RE 1; Aquatic Acute			
	1; Aquatic Chronic 1;			
	H300, H314, H341, H361f,			
	H372, H400, H410			
	M-Factor - Aquatic Acute:			
	100 - Aquatic Chronic: 10			
For the full text of the H-Statements mer	tioned in this Section, see Section 16.			

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product. Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Mercury/mercury oxides.

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

DISCLAIMER

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Work under hood. Do not inhale substance/mixture. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive. Moisture sensitive. Product is sensitive to light and moisture. Storage class Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum laver thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L **Body Protection** protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties a) Physical state b) Color c) Odor d) Melting point/freezing point e) Initial boiling point and boiling range f) Flammability (solid,gas) g) Upper/lower flammability or explosive limits h) Flash point i) Autoignition temperature i) Decomposition temperature k) pH I) Viscosity

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density Relative density q) Relative vapour densitv r) Particle *c*haracteristics s) Explosive properties t) Oxidizing properties 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity No data available 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature). 10.3 Possibility of hazardous reactions Risk of explosion with: Fluorine Alkali metals hydrazine and derivatives Exothermic reaction with: Strong bases Strong oxidizing agents 10.4 Conditions to avoid Avoid moisture. Light. no information available 10.5 Incompatible materials Lead. Copper. Light metals. silver. Zinc. Tin 10.6 Hazardous decomposition products In the event of fire: see section 5

DISCLAIMER

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

solid No data available No data available Melting point/range: 277 °C - lit.

302 °C at 1.013 hPa

No data available No data available

Not applicable No data available

No data available

No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available No data available No data available

1,7 hPa at 236 °C 5,440 g/cm3 No data available No data available

No data available

No data available none

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

otto chemie pvt ltd

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information**

12.1 Toxicity Toxicity to fish mortality LOEC - Lates calcarifer - 0,113 mg/l - 96,0 h LC50 - Oncorhynchus mykiss (rainbow trout) - 0,016 mg/l - 96,0 h Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0,002 mg/l - 48 h Toxicity to algae Growth inhibition EC50 - Ditylum brightwellii - 0,01 mg/l - 5 d Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) mortality LOEC - Daphnia magna (Water flea) - 0,006 mg/l - 21 d mortality NOEC - Daphnia magna (Water flea) - 0,003 mg/l - 21 d 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential Bioaccumulation Pimephales promelas (fathead minnow) - 0,50 µg/l(Mercury dichloride) Bioconcentration factor (BCF): 5.680 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent. bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects No data available **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number ADR/RID: 1624 14.2 UN proper shipping name MERCURIC CHLORIDE ADR/RID: MERCURIC CHLORIDE IMDG: IATA: Mercuric chloride 14.3 Transport hazard class(es)

IMDG: 1624

IATA: 1624

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company 101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate, Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

ADR/RID: 6.1	IMDG: 6.1	IATA: 6.1		
14.4 Packaging group				
ADR/RID: II	IMDG: II	IATA: II		
14.5 Environmental hazards				
ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no		
14.6 Special precautions for user				
Tunnel restriction code : (D/E)				
Further information : No data available				
SECTION 15: Bogulatory information				
SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the				
substance or mixture				
This material safety data sheet complies with the requirements of Regulation (EC) No.				
1907/2006.				
Authorisations and/or restrictions on use				
REACH - Restrictions on the manufacture,				
placing on the market and use of certain				
dangerous substances, mixtures and articles				
(Annex XVII)				
: Mercury dichloride				
National legislation				
Seveso III: Directive 2012/18/EU of the				
European Parliament and of the Council				
on the control of major-accident hazards involving dangerous substances.				
H2 ACUTE TOXIC				
E1 ENVIRONMENTAL HAZARDS				
Other regulations				
Observe work restrictions regarding maternity pr	otection in accordance to Dir 92/85/EEC or	6 34		
stricter national regulations where applicable.				
Take note of Dir 94/33/EC on the protection of y	oung people at work.			
15.2 Chemical Safety Assessment				
For this product a chemical safety assessment v	vas not carried out			
Section 16: Other Information				

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

DISCLAIMER

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product