An ISO 9001: 2015 & GMP Certified Company Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

#### **MATERIAL SAFETY DATA SHEET (MSDS)**

**SECTION 1: Product identifiers** 

Product Name: 1-Methyl piperazine, 99%

Product Code: M 2191 CAS No: 109-01-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification OTTO CHEMIE PVT LTD

No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number

Phone no.: + 91 98200 41841 (10:00 am - 06:00 pm)

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Flammable liquids, (Category 3) Acute toxicity, (Category 4)

Acute toxicity, (Category 4)

Skin corrosion, (Sub-category

1B)

Serious eye damage, (Category

1)

Skin sensitization, (Sub-category

1B)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram Signal Word

Hazard Statements

Hazard Statements

H312 + H332

H314

H317

**Precautionary Statements** 

P210

P233

P280

P303 + P361 + P353

P304 + P340 + P310

P305 + P351 + P338

Supplemental Hazard

Statements
Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Hazard Statements

H317

H226: Flammable liquid and vapor.

H332: Harmful if inhaled.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye

damage.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

Danger

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled. Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Keep container tightly closed.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

none

Danger

May cause an allergic skin reaction.

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company
Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

H314

Precautionary Statements

P280

Causes severe skin burns and eye damage.

Wear protective gloves/ protective clothing/

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

P303 + P361 + P353

P304 + P340 + P310

P305 + P351 + P338

Statements none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Formula : C5H12N2

Molecular weight : 100,16 g/mol

CAS-No. : 109-01-3

EC-No. : 203-639-5

Component		Classification	Concentration
1-methylpiperazine			
CAS-No. EC-No.	109-01-3 203-639-5	Flam, Liq. 3; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1B; H226, H332, H314, H318, H317	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

The most important known symptoms and effects are described in the labelling (see section

2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®).

Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eve/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 240 min

**Body Protection** 

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type K

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

a) Physical state clear, liquid b) Color light yellow c) Odor No data available

d) Melting Melting point/freezing point: -5,57 °C

point/freezing point

e) Initial boiling point

and boiling range

f) Flammability (solid,

gas)

g) Úpper/lower

flammability or

explosive limits

h) Flash point

i) Autoignition

temperature

i) Decomposition

temperature

k) pH

I) Viscosity

No data available

138 °C - lit.

310 °C at 1.013 hPa

No data available

No data available

No data available

Viscosity, kinematic: 2,27 mm2/s at 20 °C - OECD Test

31,5 °C at ca.1.013 hPa - closed cup - ISO 3679

#### DISCI AIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

Guideline 114

Viscosity, dynamic: No data available

miscible

log Pow: -0,57 at 25 °C - OECD Test Guideline 107

19,73 hPa at 6,67 °C - OECD Test Guideline 104

0,903 g/cm3 at 25 °C - lit.

No data available No data available

No data available

No data available No data available

m) Water solubility n) Partition coefficient: n-octanol/water o) Vapor pressure p) Density

Relative density q) Relative vapor density

r) Particle characteristics

s) Explosive properties t) Oxidizing properties 9.2 Other safety information Relative vapor

density 3,46 - (Air = 1.0)

### **SECTION 10: Stability and reactivity**

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature)

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents

acids Copper Copper alloys Metals

10.4 Conditions to avoid

Exposure to moisture.

hygroscopic

Heating.

10.5 Incompatible materials
Copper, Copper alloysMetals

10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available.

### **SECTION 12: Ecological information**

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100

ma/l - 96 h

(OECD Test Guideline 203)

semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 100

ma/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001: 2015 & GMP Certified Company
Office: No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: + 91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 352

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 30 min

(OECD Test Guideline 209)

Toxicity to daphnia

and other aquatic invertebrates(Chronic

toxicity)

semi-static test NOEC - Daphnia magna (Water flea) - 100 mg/l - 21

d

(OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 5 % - Not readily biodegradable.

(OECD Test Guideline 301D)

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 6 Weeks

at 25 °C - 1 mg/l(1-methylpiperazine)

Bioconcentration factor (BCF): <= 0,3

(OECD Test Guideline 305)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2734 IMDG: 2734 IATA: 2734

14.2 UN proper shipping name

ADR/RID: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-methylpiperazine)
IMDG: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-methylpiperazine)

IATA: Amines, liquid, corrosive, flammable, n.o.s. (1-methylpiperazine)

14.3 Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

14.4 Packaging group

ADR/RID: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user Tunnel restriction code : (D/E) Further information : No data available

#### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.



An ISO 9001 : 2015 & GMP Certified Company
Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road,
Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

Tel: +91 98200 41841 Email: info@ottokemi.com Web: www.ottokemi.com

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
P5c FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other Information**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

