An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Product identifiers

Product Name : Sodium metabisulphite, GR 98%+ Product Code : S 2097 CAS No: 7681-57-4

1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet Company identification OTTO CHEMIE PVT LTD No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT)

1.4. Emergency telephone number Phone no. : + 91 98200 41841 (10 : 00 am - 06 : 00 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Acute toxicity, (Category 4) Serious eye damage, (Category 1) 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal Word Hazard Statements H302 H318 **Precautionary Statements** P264 P270 P280 P301 + P312

P305 + P351 + P338

P501

Supplemental Hazard information (EU) EUH031 Reduced Labeling (<= 125 ml) Pictogram Signal Word Hazard Statements H318 Precautionary Statements P280 P305 + P351 + P338 H302: Harmful if swallowed. H318: Causes serious eye damage.

Danger

Harmful if swallowed. Causes serious eye damage.

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/ container to an approved waste disposal

plant.

Contact with acids liberates toxic gas.

Danger

Causes serious eye damage.

Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU) EUH031 2.3 Other hazards

Contact with acids liberates toxic gas.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances	
Synonyms	: Sodium disulfite
, , , , , , , , , , , , , , , , , , ,	Sodium pyrosulfite
Formula	: Na2O5S2
Molecular weight	: 190,11 g/mol
CAS-No.	: 7681-57-4
EC-No.	: 231-673-0

Component		Classification	Concentration
sodium meta	bisulphite		
CAS-No EC-No.	7681-57-4 231-673-0	Acute Tox. 4; Eye Dam. 1; H302, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Show this material safety data sheet to the doctor in attendance. If inhaled After inhalation: fresh air. In case of skin contact In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. In case of eye contact After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses. If swallowed After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given. 5.2 Special hazards arising from the substance or mixture Sulfur oxides Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours. 5.3 Advice for firefighters

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

In the event of fire, wear self-contained breathing apparatus. 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.
Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.
6.2 Environmental precautions
Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions
(see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Storage conditions
Tightly closed. Dry.
Do not store near acids.
Air and moisture sensitive.
Storage class
Storage class (TRGS 510): 11: Combustible Solids
7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles Skin protection This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm

DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

Break through time: 480 min Material tested:KCL 741 Dermatril® L **Body Protection** protective clothing Respiratory protection required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties powder a) Physical state b) Color colorless c) Odor pungent d) Melting Melting point/ range: > 300 °C - lit. point/freezing point e) Initial boiling point No data available and boiling range f) Flammability (solid, No data available gas) g) Upper/lower No data available flammability or explosive limits Not applicable h) Flash point i) Autoignition No data available temperature j) Decomposition No data available temperature k) pH No data available Viscosity, kinematic: No data available I) Viscosity Viscosity, dynamic: No data available 650 g/l at 20 °C m) Water solubility Not applicable for inorganic substances n) Partition coefficient: n-octanol/water o) Vapor pressure No data available p) Density 2,36 g/cm3 at 20 °C Relative density No data available q) Relative vapor No data available density r) Particle No data available characteristics s) Explosive properties Not classified as explosive. t) Oxidizing properties none 9.2 Other safety information No data available **SECTION 10: Stability and reactivity** 10.1 Reactivity Contact with acids liberates toxic gas. 10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) . 10.3 Possibility of hazardous reactions Exothermic reaction with: Oxidizing agents

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

nitrites nitrates Sulfides Generates dangerous gases or fumes in contact with: Acids Generates dangerous gases or fumes in contact with: Acids 10.4 Conditions to avoid Exposure to moisture. Air no information available 10.5 Incompatible materials No data available 10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals: Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg Inhalation LC50 Rat: > 50mg/L. Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant). Special Remarks on Toxicity to Animals: Not available. Special Remarks on Chronic Effects on Humans: Not available. Special Remarks on other Toxic Effects on Humans: Not available. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - 316 mg/l - 96 h (sodium metabisulphite) (DIN 38412 part 15) Toxicity to daphnia

and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 89 mg/l - 48 h (sodium metabisulphite) Remarks: (ECHA) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 43,8 mg/l - 72 h (sodium metabisulphite) (OECD Test Guideline 201) SIGALD- S9000 Page 9 of 11 The life science business of Merck operates as MilliporeSigma in the US and Canada Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3 h (sodium metabisulphite) (OECD Test Guideline 209) Toxicity to fish(Chronic toxicity) flow-through test NOEC - Danio rerio (zebra fish) - >= 316 mg/l -34 d (sodium metabisulphite) (OECD Test Guideline 210) Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - > 10 mg/l -21 d (sodium metabisulphite) (OECD Test Guideline 211) 12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : info@ottokemi.com Web : www.ottokemi.com

	ent ponents considered to be either persister persistent and very bioaccumulative (vP The substance/mixture does not contain	vB) at	
	considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission		
	Regulation (EU) 2018/605 at levels of 0.1		
12.7 Other adverse effects		, or higher.	
	The contract of the contract o		
SECTION 13: Disposal considerations			
13.1 Waste treatment methods			
No data available			
SECTION 14: Transport information 14.1 UN number ADR/RID: - 14.2 UN proper shipping name ADR/RID: Not dangerous good IMDG: Not dangerous good IATA: A viation regulated sol	is the second	IATA: 3335	
14.3 Transport hazard class(es)			
ADR/RID: -	IMDG: -	IATA: 9	
14.4 Packaging group			
ADR/RID: - 14.5 Environmental hazards	IMDG: -	IATA: III	
ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
14.6 Special precautions for user			
No data available			
Further information : No data available			
1907/2006. Authorisations and/or restrictions on use Other regulations	with the requirements of Regulation (EC) ernity protection in accordance to Dir 92/8 able. ion of young people at work.		

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.


Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

Otto Chemie Pvt Ltd

An ISO 9001 : 2015 & GMP Certified Company Office : No 603, 6th Floor, Tardeo AC Market, 87, Tardeo Road, Tardeo, Mumbai, Maharashtra 400034, India (BHARAT) Tel : + 91 98200 41841 Email : <u>info@ottokemi.com</u> Web : <u>www.ottokemi.com</u>

SECTION 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.



Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product