

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Product identifiers

Product Name : Titanium(IV) butoxide, polymer  
Product Code: T 1343  
CAS-No.: 9022-96-2

1.2. Relevant identified uses of the substance or mixture and uses advised against  
Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification

OTTO CHEMIE PVT LTD

101, Aarkay Ruby Industrial Estate(1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208.

Email [info@ottokemi.com](mailto:info@ottokemi.com)

1.4. Emergency telephone number

Phone no. : + 91 22 2207 0099 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 3) H226: Flammable liquid and vapor.

Serious eye damage, (Category 1) H318: Causes serious eye damage.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word

Danger

Hazard Statements

H226

Flammable liquid and vapor.

H318

Causes serious eye damage.

Precautionary Statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233

Keep container tightly closed.

P240

Ground and bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

none

Statements

Reduced Labeling

(<= 125 ml)

Pictogram

Signal Word

Danger

Hazard Statements

H318

Causes serious eye damage.

Precautionary Statements

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
n-butanol		
CAS-No. 71-36-3 EC-No. 200-751-6	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H302, H315, H318, H336, H335 Concentration limits: >= 20 %: STOT SE 3, H335; >= 20 %: STOT SE 3, H336;	>= 3 - < 10%

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.  
For personal protection see section 8.
- 6.2 Environmental precautions  
Do not let product enter drains. Risk of explosion.
- 6.3 Methods and materials for containment and cleaning up  
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.
- 6.4 Reference to other sections  
For disposal see section 13.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling  
Advice on protection against fire and explosion  
Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.  
Hygiene measures  
Change contaminated clothing. Wash hands after working with substance.  
For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities  
Storage conditions  
Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.  
Store under inert gas. Hydrolyzes readily.
- Storage class  
Storage class (TRGS 510): 3: Flammable liquids
- 7.3 Specific end use(s)  
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters  
Ingredients with workplace control parameters
- 8.2 Exposure controls  
Personal protective equipment
- Eye/face protection  
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
- Skin protection  
Required  
Body Protection  
Flame retardant antistatic protective clothing.
- Respiratory protection  
required when vapours/aerosols are generated.  
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.  
Recommended Filter type: Filter type ABEK  
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.  
These measures have to be properly documented.
- Control of environmental exposure  
Do not let product enter drains. Risk of explosion.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use  
Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.  
Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.  
This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state	clear, liquid
b) Color	colorless
c) Odor	No data available
d) Melting point/freezing point	Melting point/range: -39 °C
e) Initial boiling point and boiling range	
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	32 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	< 1 hPa at 20 °C
p) Density	1,130 g/cm <sup>3</sup>
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

## 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature)

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

Bases, Oxidizing agents, Alkali metals, Strong acids, Halogens

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Toxicity to Animals:

Oral LD50 Rat: 1500 mg/kg; Dermal LD50 Rabbit: 2000mg/kg

Inhalation LC50 Rat: > 50mg/L.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: Classified None. by NTP, None. by OSHA, None. by NIOSH.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of inhalation (lung irritant).

Special Remarks on Toxicity

to Animals: Not available.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

Special Remarks on Chronic Effects on Humans: Not available.  
Special Remarks on other Toxic Effects on Humans: Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Mixture

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

Components

n-butanol

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 1.376 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 1.328 mg/l - and other aquatic invertebrates

48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 225 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - Pseudomonas putida - 4.390 mg/l - 17 h (DIN 38421 TEIL 8)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

semi-static test EC50 - Daphnia magna (Water flea) - 18 mg/l - 21 d

(OECD Test Guideline 211)

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1993

IMDG: 1993

IATA: 1993

### 14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, N.O.S. (n-butanol) (n-butanol)

IMDG: FLAMMABLE LIQUID, N.O.S. (n-butanol) (n-butanol)

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product

# OTTO CHEMIE PVT LTD

An ISO 9001 : 2015 & GMP Certified Company  
101, Aarkay Ruby Industrial Estate (1B), Opp Shree Narayan Industrial Estate,  
Chinchpada, Vasai East, Waliv, Maharashtra 401208. Tel : + 91 98200 41841  
Email : [info@ottokemi.com](mailto:info@ottokemi.com) Web : [www.ottokemi.com](http://www.ottokemi.com)

---

IATA:	Flammable liquid, n.o.s. (n-butanol) (n-butanol)		
14.3 Transport hazard class(es)			
ADR/RID: 3	IMDG: 3		IATA: 3
14.4 Packaging group			
ADR/RID: III	IMDG: III		IATA: III
14.5 Environmental hazards			
ADR/RID: no	IMDG Marine pollutant: no		IATA: no
14.6 Special precautions for user			
Tunnel restriction code : (D/E)			
Further information : No data available			

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use  
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: n-butanol

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## Section 16: Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

---

## DISCLAIMER

Otto Chemie Pvt Ltd - products are only for laboratory use only. Not for drug, medicinal, household or any other use. No liability accepted for mishandling in use - please test before use

Otto Chemie Pvt Ltd - shall not be responsible for any damage resulting from handling or from contact with the above product.

Otto Chemie Pvt Ltd - provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy.

This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product